

Instructions for use

Aactive HA 0.1% eve drops is a refreshing lubricant for dry and tired eve developed for rehydration and soothing effect in the eves. Aactive HA 0.1% eve drops is specially formulated ocular lubricant with unique viscoelastic properties of Sodium Hyaluronate which increases the stability of the pre-corneal tear film and maximizes tear film residence time inside the eves.

1. COMPOSITION:

Contents: Aactive HA 0.1% eve drops contains Sodium Hyaluronate 0.1% with the safe preservative Stabilized Oxychloro Complex, in buffered isotonic system with neutral pH.

Other Ingredients: Carboxy Methyl Cellulose Sodium. Glycerin, Boric Acid, Borax, Sodium Citrate, Potassium Chloride, Calcium Chloride, Magnesium Chloride, Erythritol, Polyoxyl 35 Castor Oil, May contains Sodium Hydroxide and Hydrochloric Acid to adjust pH.

2. CONTRAINDICATIONS:

Hypersensitivity to Sodium Hyaluronate or to any of the ingredients listed above.

3. INTENDED USE:

Aactive HA 0.1% eve drops is unique formulation of lubricating artificial tear solution used for dry eve sensation. It provides an effective, long lasting lubrication for sore eves with lasting soothing relief from symptoms associated with dry eyes like itchiness, burning and foreign body sensation caused various non-pathological factors like:

- Visual stress due to prolonged exposure to computer / cell phone screen or television

- Exposure to harsh environment conditions like pollution. dust, smoke, sun, wind or air conditioning.

4. DIRECTION FOR USE:

Place 1 or 2 drops in the eve(s) as needed or as directed by doctor or opthalmologist.



Get the Aactive HA 0.1% lubricant eve drops bottle and mirror

0.1.

10ml

- · Wash your hands.
- Take the bottle and twist off the can
- · After cap is opened, remove the tamper evident snap collar.
- · Hold the bottle, pointing down, between your thumb and middle finger.
- Tilt your head back. Pull down your evelid with a clean. finder, until there is a 'pocket' between the evelid and your eve. The drop will go in here (picture 1).
- Bring the bottle tip close to the eve. Use the mirror if it helps.
- · Don't touch your eve or evelid, surrounding areas or other surface with the dropper. It could contaminate the drops left in the bottle.
- · Gently press on the base of the bottle to release one drop of Aactive HA 0.1% eve drop at a time.
- · Don't squeeze the bottle, it is designed so that just a gentle press on the bottom is needed (picture 2).
- If you use drops in both eyes, repeat the steps for your. other eve.
- · Put the bottle cap back on firmly immediately after use.
- If a drop misses your eye, try again.
- · White particles may appear on eve lashes post administration of product if the product oozes out of the eves. Wipes areas around eve with clean cloth soaked in lukewarm water after administration of Aactive HA 0.1% eve drops if needed.

5. PRECAUTIONS:

- Do not use if allergic to any of the ingredients.
- · The dropper tip remains sterile till the bottle is opened
- · To avoid contamination or possible eve injury, do not touch bottle tip to any surface and avoid contact with the eve.
- · Close the bottle tightly immediately after use.
- · Once opened, discard any unused solution after 28 davs.
- · Do not use after expiry date indicated on the carton &

bottle

- Do not use if package is damaged or the tamper evident. seal is broken
- Discard the solution if it becomes cloudy or brown.
- · Store in a drv. dark & well-valented place at a temperature not exceeding 25°C.
- Allow 15 minutes between the administration of other. eve drops.
- · Remove contact lenses before use.
- · Consult your doctor, pharmacist or optician before you use Aactive HA 0.1% eve drops if:
- You are pregnant or breast feeding
- You are suffering from any other eve disease or disorder
- You are using any other medicine in your eve.

6. SIDE EFFECTS:

Common: Eve irritation (Including burning and discomfort), eve pain, eve pruritus and / or visual disturbance.

Blurring of vision immediately after use. Do not operate machinery, use electric tools or drive a car until clear vision is restored.

In the event that you experience side effects not mentioned in this leaflet, or if there is prolonged irritation or severe visual disturbance or any change in your general health. consult your doctor immediately.

7. EXPECTED GROUP OF PATIENTS FOR OCULAR LUBRICATING & COMFORT SOLUTION:

Children above the age of 5 years, adult & geriatrics population, who are affected by dry eye (such as soreness, burning, irritation or dryness) or dry eye syndrome.

Dry eves syndrome, also known as chronic dry eve is characterized by a reduced ability to form tears or a reduction in the quality of those tears.

8. WARNING:

If you experience any problems with this product please discuss with your pharmacist. GP or eve care specialist. Do not soak or disinfect your lenses in Aactive HA 0.1% eye drops.

9. INSTRUCTION FOR DISPOSAL:

The device should be disposed as per prevailing regulations where the device is used.

10. HOW SUPPLIED:

Aactive HA 0.1% eve drops is supplied in 10ml in pack size in a plastic bottle.

Note: This leaflet is specific to Aactive HA 0.1% Eve drops only.

- KEEP OUT OF SIGHT AND REACH OF CHILDREN
- DO NOT SWALLOW SOLUTION NOT FOR INJECTION
 - (f ₂₈₀₃
- FOR EXTERNAL USE ONLY

A sec	Temperature Limitation
	Do not use if package is damaged
\otimes	Do not Re-use
STEBLER	Do not Re-sterilize
	Attention, See Instructions for use
[STERILE]A]	Method of sterilization using aseptic processing techniques
*	Keep away from sunlight
	Manufacturing date
LOT	Lot number
Ω	Should not be used after specification month & date
EC REP	Authorized representative in the European community
REF	Reference number
MD	Medical Device
UKRP	UK Responsible Person



TriOn Pharma Ltd. - UK

Trion Pharma info@trionpharma.co.uk

UKRP: CMC Medical Devices LTD Office 32 19-21 Crawford Street, London W1H 1PJ - UK

EC REP SC Farma Mas Trade SRL STR Valea Seman NR, 34, Urlati, Jud Prahoa 106315, Romania

REF 2LER993 Issue No: 01 Date of issue: 01-07-2021

